



303

Tractor Front Tire



2WD TRACTOR

ATG

BETTER VALUE.
SMARTER CHOICE.

By: Kapil Bajaj
Product Management

Tractor use in Agriculture



2 Wheel Drive Tractor's

Power is transmitted through rear wheels.

Up to 200 HP

Front wheels are free rolling steering wheels.

Lug Tires

Rib Tires

Size of the wheels are different

High Traction

Low Traction

75%

25%

Machine weight distribution





2WD TRACTOR

Applications- Tractor front



Light Applications

Performance Parameters – Tractor Tires

Critical
Performance
parameters
for tractor
front tyres

- Suitable for On/Off application
- Longer life
- lower soil compaction
- Suitable for compatible Speed on road application

303 IS THE SOLUTION TO ABOVE CHALLENGES

Features & Benefits

More rubber at the center Rib

More life

Superior compound

Resistance to cut growth

Optimized 3 Rib Design

Suitable for ON/OFF road usage



Pattern Images



Key Features-



Tread Pattern

- More rubber at the center Rib
- Superior compound
- Optimized 3 Rib Design

TRA

F-2

SPEED RATING



Special Compound Cut Resistance

Fabric Textile

Application



2WD TRACTOR



303 Sizes

S N	Rim Size	SIZE	303		
			CAT NO.	PR	TYPE
1	16	6.00-16	30302307AL-IN	8	TT
2		7.50-16	30303545AL-IN	8	TL*
3		10.00-16	30303895AL-IN	8	TL*
4		10.00-16	30303903AL-IN	10	TT
5		11.00-16	30304403AL-IN	10	TT

Key SKU's have been replaced by Farm PRO 303, Details available in next slide.

FP 303 vs 303 Elimination Master












S N	Rim Size	SIZE	303			FP 303			
			CAT NO.	PR	TYPE	PR	TYPE	MFG Plant	CAT NO
1	15	5.00-15	30301110AL-IN	6	TT	4	TT	TN	30301108FP-IN
2	16	5.50-16				6	TT	Dahej	30301706FP-IG
3		6.00-16	30302303AL-IN	6	TT	6	TT	Dahej	30302353FP-IG
4		6.00-16	30302307AL-IN	8	TT				
5		6.50-16	30302605AL-IN	6	TT	6	TT	Dahej	30302655FP-IG
6		7.50-16	30302907AL-IN	6	TT	6	TT	Dahej	30302957FP-IG
7		7.50-16	30303202AL-IN	8	TT	8	TT	Dahej	30303252FP-IG
8		7.50-16	30303545AL-IN	8	TL*				
9		9.00-16	30303300AL-IN	10	TT	10	TT	Dahej	30303305FP-IG
10		10.00-16	30303881AL-IN	8	TT	8	TT	Dahej	30303910FP-IG
11		10.00-16	30303895AL-IN	8	TL*				
12		10.00-16	30303903AL-IN	10	TT				
13		11.00-16				8	TT	Dahej	30304104FP-IG
14		11.00-16	30304403AL-IN	10	TT				
15		18	7.50-18	30305000AL-IN	8	TT	8	TT	TN
16	19	4.00-19				4	TT	TN	30300020FP-IN
17	20	6.00-19	30306201AL-IN	6	TT	6	TT	TN	30306251FP-IN
18		7.50-20				8	TT	TN	30305022FP-IN

“Relative” Positioning



Rear

Front

<p>Premium +</p>	 <p>H O&O A8</p> <p>Trac Pro</p>			
<p>Premium</p>	 <p>H OFF A8</p> <p>324HD</p>	 <p>23°</p> <p>H OFF A8</p> <p>347</p>	<p>358/357/304/324 To be replaced by FarmPRO 324</p>	
<p>Value</p>	 <p>H OFF A8</p> <p>324</p>	 <p>H O&O A8</p> <p>358</p>	 <p>H O&O A8</p> <p>357</p>	 <p>303</p>
<p>Budget</p>	 <p>H OFF A8</p> <p>FP 324</p>	 <p>H OFF A8</p> <p>304</p>	 <p>23°</p> <p>H OFF A8</p> <p>768</p>	 <p>FarmPro 303</p>

Thank you!